



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION OF : Robert C. STEVENS  
FOR : REINFORCED CATHETER DEVICE,  
CATHETER STOCK, AND METHODS AND  
APPARATUS FOR MAKING SAME  
SERIAL NO. : 10/075,053  
FILED : February 13, 2002  
EXAMINER : Unknown  
ART UNIT : 1771  
ATTORNEY DOCKET NO. : RST 2 0011-3

*COPY OF PAPERS  
ORIGINALLY FILED*

RESPONSE TO NOTICE TO FILE  
CORRECTED APPLICATION PAPERS

Assistant Commissioner for Patents  
Washington, DC 20231

Dear Sir:

The Notice to File Corrected Application Papers mailed March 8, 2002, has been received and carefully reviewed. The Notice indicates that the drawing sheets originally filed with the subject application did not comply with the requirements of 37 CFR 1.84. Specifically, it was indicated that the drawing sheets did not have the appropriate margins. Accordingly, enclosed herewith are six (6) substitute drawing sheets, Figs. 1-5, in compliance with 37 CFR 1.84.

Respectfully submitted,  
FAY, SHARPE, FAGAN,  
MINNICH & MCKEE, LLP

07 MAY 02  
Date

*Michael E. Hudzinski*  
Michael E. Hudzinski  
Reg. No. 34,185  
1100 Superior Avenue  
Seventh Floor  
Cleveland, Ohio 44114-2518  
(216) 861-5582

N:\RST\20011\3A\BJW1516A.WPD

CERTIFICATE OF MAILING

I hereby certify that this **RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS** is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, DC, 20231, on this 7th day of May, 2002.

By: Barbara J. Whaley  
Barbara J. Whaley



## UNITED STATES PATENT AND TRADEMARK OFFICE



COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/075,053	02/13/2002	Robert C. Stevens	RST 2 0011-3

## CONFIRMATION NO. 8092

## FORMALITIES LETTER



\*OC000000007604034\*

Michael E. Hudzinski  
FAY, SHARPE, FAGAN, MINNICH & McKEE, LLP  
7th Floor  
1100 Superior Avenue  
Cleveland, OH 44114-2518

Date Mailed: 03/08/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)) Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

---

*A copy of this notice **MUST** be returned with the reply.*

*A*  
Customer Service Center  
Initial Patent Examination Division (703) 308-1202  
PART 2 - COPY TO BE RETURNED WITH RESPONSE

COPY OF PAPERS  
ORIGINALLY FILED